

Schema **Candidate_PL_DELv1.0.5.xsd**

schema location: [Candidate_PL_DELv1.0.5.xsd](#)

attribute form default:

element form default: **qualified**

Elements

[Candidate](#)
[UserArea](#)

Complex types

[CandidateDELType](#)
[EntityIdType1PL](#)
[EntityProfileIdTypePL](#)
[RecordInfoIdTypePL](#)
[SupplierTypePL](#)
[UserAreaType](#)

schema location: [altova://ystream/xml.xsd](#)

attribute form default:

element form default:


targetNamespace: <http://www.w3.org/XML/1998/namespace>

Attributes


[base](#)
[id](#)
[lang](#)
[space](#)

element **Candidate**

diagram






element **UserArea**




complexType **CandidateDELType**


diagram



element **CandidateDELType/CandidateRecordInfo**element **CandidateDELType/CandidateSupplier**

element **CandidateDELType/ProfileId**complexType **EntityIdType1PL**element **EntityIdType1PL/IdValue**

complexType **EntityProfileIdTypePL**



attribute **EntityProfileIdTypePL/@validFrom**

attribute **EntityProfileIdTypePL/@validTo**

element **EntityProfileIdTypePL/LOGINPL**



element **EntityProfileIdTypePL/CentrIdPL**




element **EntityProfileIdTypePL/PersonIdUPPL**




element **EntityProfileIdTypePL/PasswordPL**

diagram	 <p>PasswordPL Hasło</p>
---------	--

complexType **RecordInfoldTypePL**

diagram	 <p>RecordInfoldTypePL</p> <p>attributes</p> <p>validFrom Data nadania komunikatu</p> <p>IdXSDPL Identyfikator schematu XSD wg którego sporządzono komunikat XML</p> <p>IdValueXMLPL Identyfikator komunikatu XML</p>
---------	--

attribute **RecordInfoldTypePL/@validFrom**element **RecordInfoldTypePL/IdXSDPL**

diagram	 <p>IdXSDPL Identyfikator schematu XSD wg którego sporządzono komunikat XML</p> <p>attributes</p> <p>versionPL Wersja schematu XSD, aktualnie 1.0.5</p>
---------	---


attribute **RecordInfoldTypePL/IdXSDPL/@versionPL**element **RecordInfoldTypePL/IdValueXMLPL**

diagram	 <p>IdValueXMLPL Identyfikator komunikatu XML</p>
---------	---


complexType **SupplierTypePL**

diagram	 <p>Identyfikator dostawcy (Jednostki zasilającej) Kod słownika: AdJednostka</p>
---------	---

element **SupplierTypePL/SupplierId**

diagram	 <p>Identyfikator dostawcy (Jednostki zasilającej) Kod słownika: AdJednostka</p>
---------	---

complexType **UserAreaType**

diagram	 <p>In order to prevent a possible "ambiguous content model" errors in an instance, unbounded sequences were either eliminated from or deprecated in all HR-XML schemas. Removing unbounded sequences ensures that ambiguous errors are not found in an instance. The unbounded sequence here is officially deprecated and will be changed to a single sequence.</p>
---------	--

attribute **base**

attribute **id**

attribute **lang**

attribute **space**